The Botanical Gazette

BARBARA F. PALSER · *EDITOR*

VOLUME 125

THE UNIVERSITY OF CHICAGO PRESS
CHICAGO · ILLINOIS

COPYRIGHT BY THE UNIVERSITY OF CHICAGO

PUBLISHED
MARCH, JUNE, SEPTEMBER, DECEMBER, 1964

COMPOSED AND PRINTED BY THE UNIVERSITY OF CHICAGO
PRESS, CHICAGO, ILLINOIS, U.S.A.

TABLE OF CONTENTS

1–7 POLARIZED LIGHT STUDY OF PHLOEM DIFFERENTIATION IN EMBRYO OF *CHENOPODIUM ALBUM*

Thana Bisalputra and Katherine Esau

7–12 GROWTH AND DEVELOPMENT OF CARNATION SHOOT TIPS IN VITRO

Douglas J. Phillips and Gary J. Matthews

13–26 ANALYSIS OF PETAL VENATION IN *RANUNCULUS*. II. NUMBER AND POSITION OF DICHOTOMIES IN *R. REPENS* VAR. *PLENIFLORUS*

Howard J. Arnott and Shirley C. Tucker

26–33 *INDOCARPA INTERTRAPPEA* GEN. ET SP. NOV., A NEW DICOTYLEDONOUS FRUIT FROM THE DECCAN INTERTRAPPEAN SERIES, INDIA

R. K. Jain

33–37 PHYSIOLOGICAL AND MORPHOGENETIC STUDIES OF FERN GAMETOPHYTES IN ASEPTIC CULTURE. II. ONE- AND TWO-DIMENSIONAL GROWTH IN SUGAR MEDIA

Yukio Kato

38–40 OCCURRENCE OF FUNGAL HYPHAE IN YOUNG ROOTS OF SOUTH AFRICAN INDIGENOUS PLANTS

Elaine M. Laughton

41–46 NATURE AND INHERITANCE OF APOMIXIS IN *BOTHRIOCHLOA* AND *DICHANTHIUM*

Jack R. Harlan, M. H. Brooks, D. S. Borgaonkar, and J. M. J. de Wet

46–50 THE GENUS *COLLINSIA*. XXII. TRISOMY IN *C. HETEROPHYLLA*

E. D. Garber

50–55 SOME EFFECTS OF 2,4-DICHLOROPHENOXYACETIC ACID AND SUCROSE ON OROTIC-ACID UPTAKE IN NUCLEIC ACIDS OF EXCISED COTTON COTYLEDONS

Eddie Basler and Thomas L. Hansen

56–62 CARBOHYDRATE COMPOSITION AND DISTRIBUTION IN COTTON PLANT AS AFFECTED BY SUBSTITUTION OF SODIUM FOR CALCIUM

D. C. Whitenberg and H. E. Joham

62–65 EFFECT OF VARIOUS LEVELS OF NITROGEN, PHOSPHORUS, AND POTASSIUM ON SEED PRODUCTION AND GERMINATION OF *MATTHIOLA INCANA*

Peter Semeniuk

65–72 INFLORESCENCE FORMATION IN OLIVE AS INFLUENCED BY LOW TEMPERATURE, PHOTOPERIOD, AND LEAF AREA

Wesley P. Hackett and H. T. Hartmann

72–74 GENETICS OF PHYTOPATHOGENIC FUNGI. VIII. PAPER-CHROMATOGRAPHIC STUDY OF EXTRACTS OF SPORE MASSES OF THE FOUR PHYSIOLOGICAL RACES OF *COLLETOTRICHUM LAGENARIUM*
E. D. Garber and Susan G. Shaeffer

75–80 REVERSION OF PHYTOCHROME 730 (Pfr) TO P660 (Pr) ASSAYED BY FLOWERING IN *CHENOPODIUM RUBRUM*
M. J. Kasperbauer, H. A. Borthwick, and S. B. Hendricks

81–88 A NULL-POINT COMPENSATING SYSTEM FOR SIMULTANEOUS AND CONTINUOUS MEASUREMENT OF NET PHOTOSYNTHESIS AND TRANSPIRATION BY CONTROLLED GAS-STREAM ANALYSIS
D. Koller and Y. Samish

89–96 EFFECTS OF BORON ON GROWTH AND LIGNIFICATION IN SUNFLOWER TISSUE AND ORGAN CULTURES
Tushar R. Dutta and Wayne J. McIlrath

96–101 THE GENUS *COLLINSIA*. XXIII. A PAPER-CHROMATOGRAPHIC STUDY OF FLOWER EXTRACTS FROM FOURTEEN SPECIES AND FOUR INTERSPECIFIC HYBRIDS
E. D. Garber and Øistein Strømnaes

102–107 GUARD-CELL STARCH RETENTION AND ACCUMULATION IN THE DARK
James E. Pallas, Jr.

108–114 MORPHOLOGY OF THE BASE OF SEED HAIRS OF *GOSSYPIUM*. II. COMPARATIVE MORPHOLOGY
Paul A. Fryxell

115–121 MICROSPOROGENESIS AND EMBRYOGENESIS IN *QUERCUS*
G. R. Stairs

121–126 GROSS MORPHOLOGY OF TAP ROOTS OF DESERT CUCURBITS
Howard J. Dittmer and Burney P. Talley

126–128 PREDOMINANCE OF *ARCHAEOPTERIS* IN UPPER DEVONIAN FLORA OF WESTERN CATSKILLS AND ADJACENT PENNSYLVANIA
Charles B. Beck

129–131 COLONY FORM IN *PEDIASTRUM*
Joseph S. Davis

132–138 MEIOSIS IN INTERSPECIFIC AND INTERGENERIC HYBRIDS OF *VANDA*
H. Kamemoto and K. Shindo

138–142 ANOMALOUS VESSEL ELEMENTS IN WILTY-DWARF TOMATO
Norman A. Alldridge

142–145 EFFECTS OF GIBBERELLIC ACID ON SOYBEANS GROWN AT DIFFERENT LEVELS OF NITROGEN, POTASSIUM, OR PHOSPHORUS
Jack M. Bostrack and B. Esther Struckmeyer

146–148 CONVERSION OF FURFURAL AND CINNAMALDEHYDE BY UREDOSPORES OF WHEAT STEM RUST AND ASSOCIATED BACTERIA
Richard B. Searles and Richard C. French

149–155 EFFECTS OF DAYLENGTH AND LIGHT INTENSITY ON GROWTH OF BARLEY. II. INFLUENCE OF INCANDESCENT LIGHT ON APICAL DEVELOPMENT
L. G. Paleg and D. Aspinall

156–157 CELLULASE ACTIVITY IN TOMATO FRUITS ACCORDING TO PORTION AND MATURITY
C. B. Hall

158–170 EFFECT OF CLIMATIC DISTRICT AND OF LOCATION IN TREE ON TENDERNESS AND OTHER PHYSICAL CHARACTERISTICS OF CITRUS FRUIT
F. M. Turrell, S. P. Monselise, and S. W. Austin

170–178 CLASSES OF TRUE-BREEDING DIPLOID MUTANTS OBTAINED AFTER COLCHICINE TREATMENT OF SORGHUM LINE, EXPERIMENTAL 3
Clifford J. Franzke and Mary E. Sanders

178–186 EVOLUTIONARY STUDIES IN THE ERICACEAE. II. LEAF ANATOMY AS A PHYLOGENETIC INDEX IN THE ANDROMEDEAE
Kornelius Lems

186–191 ASCORBIC ACID CONTENT OF CITRUS DURING GROWTH AND DEVELOPMENT
Irving L. Eaks

192–197 COMPARATIVE MORPHOLOGY OF THE CANELLACEAE. III. POLLEN
Thomas K. Wilson

198–203 INTERPHASE NUCLEI FROM LEMON-FRUIT TISSUE
Herbert A. Kordan

204–207 ABSORPTION OF P-32 BY LEAVES OF *GLYCINE MAX* OF DIFFERENT AGES
George E. Ahlgren and Theodore W. Sudia

207–211 TRANSPIRATION CAPACITY OF DORMANT BUDS OF FOREST TREES
K. E. Wolter and T. T. Kozlowski

211–216 PHENOTYPIC STABILITY IN CORN AS RELATED TO TIMING OF MOISTURE STRESS DURING EARLY DEVELOPMENT
P. R. Rowe and R. H. Andrew

217–220 BUD DISTRIBUTION AND BRANCHING IN RED OAK
W. W. Ward

221–226 RELATIONSHIP BETWEEN CHLOROPHYLL AND CAROTENOID BIOSYNTHESIS IN DIRTY-RED (GREEN-FLESH) MUTANT IN TOMATO
Dolores A. Ramirez and Mark L. Tomes

227–231 ROLES OF ACTIVE PHYTOCHROME IN CONTROL OF FLOWERING OF *XANTHIUM PENSYLVANICUM*
H. A. Borthwick and R. J. Downs

232–236 SIGNIFICANCE OF DARK REVERSION OF PHYTOCHROME IN FLOWERING OF *CHRYSANTHEMUM MORIFOLIUM*
H. M. Cathey and H. A. Borthwick

237–241 A SPECIAL-PURPOSE CONTROLLED-ENVIRONMENT UNIT
Frank B. Salisbury

241–245 EFFECTS OF OXIDANTS AND IONIZING CONDITIONS ON SEED GERMINATION AT SUBATMOSPHERIC OXYGEN LEVELS
S. M. Siegel, C. Giumarro, and L. Halpern

245–259 FOLIAR ABSORPTION OF AMINO ACIDS, PEPTIDES, AND OTHER NUTRIENTS BY THE PITCHER PLANT, *SARRACENIA FLAVA*
Gayther L. Plummer and John B. Kethley

260–267 EFFECTS OF CERTAIN ORGANIC NITROGEN COMPOUNDS ON GROWTH IN VITRO OF SEEDLINGS OF *CATTLEYA*
V. Raghavan

268–271 BORON NUTRITION AND LIGNIFICATION IN SUNFLOWER AND TOBACCO STEMS
Wayne J. McIlrath and John Skok

271–279 ECOTYPIC DIFFERENTIATION IN *DIAMORPHA CYMOSA*
J. Frank McCormick and Robert B. Platt

280–297 STUDIES OF FLORAL MORPHOLOGY IN THE ERICALES. VII. EMBRYOLOGY IN THE PHYLLODOCEAE
P. S. Ganapathy and Barbara F. Palser

298–300 GENETICS OF PHYTOPATHOGENIC FUNGI. XII. DETECTION OF ESTERASES AND PHOSPHATASES IN CULTURE FILTRATES OF *FUSARIUM OXYSPORUM* AND *F. XYLARIOIDES* BY STARCH-GEL ZONE ELECTROPHORESIS
J. A. Meyer, E. D. Garber, and Susan G. Shaeffer

301–306 POSSIBLE ROLE OF DIKARYONS IN SELECTION OF SPONTANEOUS MUTANTS IN *SCHIZOPHYLLUM COMMUNE*
Philip G. Miles

307–312 INDEX TO VOLUME 125

GENERAL INDEX

A

Absorbancies of phytochrome 730 and P660 75
Absorption, foliar, of amino acids, peptides, and other nutrients by pitcher plant 245; of P-32 by soybean leaves of different ages 204
Ahlgren, George E., Absorption of P-32 by leaves of Glycine max of different ages 204
Algae, colony form in Pediastrum 129
Alldridge, Norman A., Anomalous vessel elements in wilty-dwarf tomato 138
Amino acids, absorption by leaves of pitcher plant and accumulation in several organs 245
Anatomy, anomalous vessel elements in wilty-dwarf tomato 138; carnation shoot tips grown in vitro 7; leaf, as a phylogenetic index in Andromedeae 178; phloem differentiation in embryo of Chenopodium album 1; seed hair bases in Gossypium 108; tap roots of desert cucurbits 121; *see also* Morphology
Andrew, R. H., Phenotypic stability in corn as related to timing of moisture stress during early development 211
Andromeda, leaf anatomy 178
Andromedeae, leaf anatomy as a phylogenetic index 178
Apodanthera, gross morphology of tap root 121
Apomixis, nature and inheritance in Bothriochloa and Dichanthium 41
Apospory, nucellar, in Bothriochloa and Dichanthium 41
Archeopteris, predominance in Upper Devonian flora of western Catskills and adjacent Pennsylvania 126
Arid habitat, gross morphology of tap roots of desert cucurbits 121
Arnott, Howard J., Analysis of petal venation in Ranunculus. II. Number and position of dichotomies in R. repens var. pleniflorus 13
Ascorbic acid content of citrus during growth and development 186
Asexual reproduction in Pediastrum 129
Aspinall, D., Effects of daylength and light intensity on growth of barley. II. Influence of incandescent light on apical development 149
Austin, S. W., Effect of climatic district and of location in tree on tenderness and other physical characteristics of citrus fruit 158

B

Bacteria associated with uredospores of wheat stem rust, conversion of furfural and cinnamaldehyde 146
Barley, effect of incandescent light on apical development 149
Basler, Eddie, Some effects of 2,4-dichlorophenoxyacetic acid and sucrose on orotic acid uptake in nucleic acids of excised cotton cotyledons 50
Beck, Charles B., Predominance of Archaeopteris in Upper Devonian flora of western Catskills and adjacent Pennsylvania 126
Betula papyrifera, transpiration capacity of dormant buds 207
Bisalputra, Thana, Polarized light study of phloem differentiation in embryo of Chenopodium album 1
Borgaonkar, D. S., Nature and inheritance of apomixis in Bothriochloa and Dichanthium 41
Boron, effect, on growth and lignification in sunflower tissue and organ cultures 89, on lignification in sunflower and tobacco stems 268
Borthwick, H. A., Reversion of phytochrome 730 (Pfr) to P660 (Pr) assayed by flowering in Chenopodium rubrum 75; Roles of active phytochrome in control of flowering of Xanthium pensylvanicum 227; Significance of dark reversion of phytochrome in flowering of Chrysanthemum morifolium 232
Bostrack, Jack M., Effects of gibberellic acid on soybeans grown at different levels of nitrogen, potassium, or phosphorus 142
Bothriochloa, nature and inheritance of apomixis 41
Branching in red oak 217
Brassica rapa, *see* Turnip
Brooks, M. H., Nature and inheritance of apomixis in Bothriochloa and Dichanthium 41
Buds, distribution in red oak 217; dormant, transpiration capacity 207

C

Calcium, effect of replacement by sodium on carbohydrate composition and distribution 56
Callixylon, pyritized, in Upper Devonian deltaic sediments 126
Canella, pollen 192
Canellaceae, comparative morphology of pollen 192
Capsicodendron, pollen 192
Carbohydrate composition and distribution as affected by substitution of sodium for calcium 56; *see also* Sugars *and* Starch
Carnation, growth and development of shoot tips in vitro 7
Carotenoid biosynthesis, relationship with chlorophyll in dirty-red mutant of tomato 221
Cassandra, leaf anatomy 178
Catalase, effect of boron on level of activity 89
Cathey, H. M., Significance of dark reversion of phytochrome in flowering of Chrysanthemum morifolium 232
Cattleya seedling, growth in vitro as affected by certain organic nitrogen compounds 260
Cell wall, secondary, anomalous deposition in vessel elements of wilty-dwarf tomato 138
Cellulase activity in tomato fruits according to portion and maturity 156
Chenopodium, C. album, phloem differentiation 1; C. rubrum, flowering as assay of reversion of phytochrome 730 to P660 75
Chlorophyll, relationship with carotenoid biosynthesis in dirty-red mutant of tomato 221
Chlorophyllase activity in red and dirty-red tomatoes 221
Chlorosis, comparison of condition caused by gibberellic acid treatment and by deficiency of nitrogen, potassium, or phosphorus 142
Chromosome, number, in Diamorpha cymosa 271, in interspecific and intergeneric hybrids of Vanda 132, in three species of Quercus 115; substitution hypothesis, as supported by mutants obtained by colchicine treatment of sorghum line Experimental 3 170
Chrysanthemum morifolium, significance in flowering of dark reversion of phytochrome 232
Cinnamaldehyde, conversion by uredospores of wheat stem rust and associated bacteria 146
Cinnamondendron, pollen 192
Cinnamosma, pollen 192
Citrus, ascorbic acid content during growth and development 186; effect of climatic district and of location in tree on tenderness and other physical characteristics of fruit 158; interphase nuclei from lemon-fruit tissue 198
Climate, effect of districts on tenderness and other physical characteristics of citrus fruit 158
Cocklebur, *see* Xanthium
Colchicine, true-breeding diploid mutants obtained after treatment of sorghum line Experimental 3 170
Colletotrichum lagenarium, paper-chromatographic study of four physiological races 72
Collinsia, C. heterophylla, trisomy 46; paper-chromatographic study of flower extracts of 14 species and four interspecific hybrids 96

Controlled-environment unit 237
Corn, phenotypic stability as related to timing of moisture stress during early development 211
Cotton, carbohydrate composition and distribution as affected by substitution of sodium for calcium 56; comparative morphology of base of seed hairs 108; effect of 2,4-D and sucrose on orotic acid uptake in nucleic acids of excised cotyledons 50
Cotyledons, excised, effect of 2,4-D and sucrose on orotic acid uptake in nucleic acids 50
Cucumber, seed germination at subatmospheric oxygen levels 241
Curcurbita, gross morphology of tap roots of C. foetidissima, C. digitata, and C. palmata 121
Cytogenetics, trisomy in Collinsia heterophylla 46
Cytology, interphase nuclei in lemon-fruit tissue 198; trisomy in Collinsia heterophylla 46

D

2,4-D, effect on uptake of orotic acid in nucleic acids of excised cotton cotyledons 50
Daboecia, embryology 280
Dark interruptions, effect of different amounts and different spacing of far-red radiation in flowering of Chenopodium 75
Davis, Joseph S., Colony form in Pediastrum 129
Decapitation, effect on branching in red oak 217
Diamorpha cymosa, ecotypic variation 271
Dianthus caryophyllus, *see* Carnation
Dichanthium, nature and inheritance of apomixis 41
Dicotyledons, ability of 41 species to retain guard-cell starch in dark 102
Differentiation of phloem in embryo of Chenopodium album 1
Dikaryons, possible role in selection of spontaneous mutants in Schizophyllum 301
Dittmer, Howard J., Gross morphology of tap roots of desert cucurbits 121
Dormant buds, transpiration capacity 207
Downs, R. J., Roles of active phytochrome in control of flowering of Xanthium pensylvanicum 227
Dutta, Tushar R., Effects of boron on growth and lignification in sunflower tissue and organ cultures 89

E

Eaks, Irving L., Ascorbic acid content of citrus during growth and development 186
Ecotypic differentiation in Diamorpha cymosa 271
Electrophoresis, starch-gel zone, use in detection of esterases and phosphatases in Fusarium 298
Embryo, phloem differentiation in Chenopodium album 1
Embryogeny, in Phyllodoceae 280; in Quercus 115
Embryology, apomixis in Bothriochloa and Dichanthium 41; in Phyllodoceae 280; in Quercus 115
Endosperm development in Phyllodoceae 280
Environment, special-purpose unit for control 237
Enzymes, cellulase, activity in tomato fruit 156; catalase and peroxidase, effect of boron on level of activity 89; chlorophyllase, activity in red and dirty-red tomatoes 221; pectin methylesterase, esterases, and phosphatases, in culture filtrates of Fusarium 298
Epidermis, comparative morphology of seed-hair bases in Gossypium 108; guard-cell starch retention and accumulation in dark 102
Epigaea, leaf anatomy 178
Ericaceae, leaf anatomy as a phylogenetic index in Andromedeae 178; embryology in Phyllodoceae 280
Esau, Katherine, Polarized light study of phloem differentiation in embryo of Chenopodium album 1
Esterases in culture filtrates of Fusarium 298
Evolution, leaf anatomy as a phylogenetic index in Andromedeae 178; possible origin of commercial cotton fibers 108

F

Far-red light, required in light source for optimal photoperiodic response of barley 149
Ferns, predominance of Archaeopteris in Upper Devonian of western Catskills and adjacent Pennsylvania 126; one- and two-dimensional growth of gametophytes on sugar media 33
Floral initiation in barley as affected by incandescent light 149
Floral morphology, apomixis in Bothriochloa and Dichanthium 41; embryology, in Phyllodoceae 280, in Quercus 115
Flower extracts, paper-chromatographic study of 14 species and four interspecific hybrids of Collinsia 96
Flowering, of Chenopodium rubrum, as assay of reversion of phytochrome 730 to P660 75; of Chrysanthemum, significance of dark reversion of phytochrome 232; of Xanthium, roles of active phytochrome in controlling 227
Forests of Archeopteris on coast of Upper Devonian inland sea 126
Fossils, Archeopteris, predominance in Upper Devonian flora 126; Indocarpa intertrappea, a new dicotyledonous fruit species from India 26
Franzke, Clifford J., Classes of true-breeding diploid mutants obtained after colchicine treatment of sorghum line, Experimental 3 170
French, Richard C., Conversion of furfural and cinnamaldehyde by uredospores of wheat stem rust and associated bacteria 146
Fructose, *see* Sugars
Fruit, citrus, ascorbic acid content during growth 186, effect of climatic district and of location in tree on tenderness and other physical characteristics 158, interphase nuclei in living tissues of lemon 198; Indocarpa intertrappea, a new fossil dicotyledonous species from India 26; tomato, cellulase activity 146, relationship between chlorophyll and carotenoid biosynthesis in dirty-red mutant 221
Fryxell, Paul A., Morphology of the base of seed hairs of Gossypium. II. Comparative morphology 108
Fungi, conversion of furfural and cinnamaldehyde by uredospores of wheat stem rust 146; esterases and phosphatases in culture filtrates of Fusarium oxysporum and F. xylarioides 298; hyphae in young roots of South African indigenous plants 38; paper-chromatographic study of four physiological races of Colletotrichum lagenarium 72; possible role of dikaryons in selection of spontaneous mutants in Schizophyllum commune 301
Furfural, conversion by uredospores of wheat stem rust and associated bacteria 146
Fusarium oxysporum and F. xylarioides, esterases and phosphatases in culture filtrates 298

G

Gametophytes, fern, one- and two-dimensional growth on sugar media 33; in Phyllodoceae 280; in Quercus 115
Ganapathy, P. S., Studies of floral morphology in the Ericales. VII. Embryology in the Phyllodoceae 280
Garber, E. D., Genetics of phytopathogenic fungi. VIII. Paper-chromatographic study of extracts of spore masses of the four physiological races of Colletotrichum lagenarium 72, XII. Detection of esterases and phosphatases in culture filtrates of Fusarium oxysporum and F. xylarioides by starch-gel zone electrophoresis 298; The genus Collinsia. XXII. Trisomy in C. heterophylla 46, XXIII. A paper-chromatographic study of flower extracts from fourteen species and four interspecific hybrids 96
Genetics, dirty-red mutant in tomato 221; fungal, paper-chromatographic study of four physiological races of Col-

letotrichum lagenarium 72; of apomixis in Bothriochloa and Dichanthium 41; true-breeding diploid mutants obtained after colchicine treatment of sorghum line Experimental 3 170
Genomes, different, in Gossypium, relation to seed-hair base morphology 108
Genotypes, different, paper-chromatographic study of flower extracts in several populations of two species of Collinsia 96
Germination, seed, at subatmospheric oxygen levels as affected by oxidants and ionizing conditions 241, in Cattleya as affected by organic nitrogen compounds 260
Gibberellic acid, effect, on orotic acid uptake in nucleic acids of excised cotton cotyledons 50, on soybeans grown at different levels of nitrogen, potassium, or phosphorus 142
Giumarro, C., Effects of oxidants and ionizing conditions on seed germination at subatmospheric oxygen levels 241
Glucose, *see* Sugars
Glycine max, *see* Soybean
Gossypium, *see* Cotton
Gourds, *see* Cucurbita
Grapefruit, *see* Citrus
Grasses, nature and inheritance of apomixis in Bothriochloa and Dichanthium 41
Growth, ascorbic acid content of citrus during development 186; of Cattleya seedlings in vitro, as affected by organic nitrogen compounds 260; of corn, as affected by timing of moisture stress during early development 211; of cotton, as affected by substitution of sodium for calcium 56; of soybean, as affected by level of nitrogen, potassium, or phosphorus and gibberellic acid 142; of stock, as affected by various levels of nitrogen, phosphorus, and potassium 62; of sunflower tissue and organ cultures, as affected by boron 89; seedling, at subatmospheric oxygen levels as affected by oxidants and ionizing conditions 241
Growth chamber, a special-purpose controlled-environment unit 237
Growth regulators, effect, of 2,4-D on uptake of orotic acid in nucleic acids of excised cotton cotyledons 50, of gibberellic acid on soybeans grown at different levels of nitrogen, potassium, or phosphorus 142
Guard cell, starch retention and accumulation in dark 102
Guttiferae, a possible new fossil fruit from India 26

H

Hackett, Wesley P., Inflorescence formation in olive as influenced by low temperature, photoperiod, and leaf area 65
Hair, comparative morphology of base in seed of Gossypium 108
Hall, C. B., Cellulase activity in tomato fruits according to portion and maturity 156
Halpern, L., Effects of oxidants and ionizing conditions on seed germination at subatmospheric oxygen levels 241
Hansen, Thomas L., Some effects of 2,4-dichlorophenoxyacetic acid and sucrose on orotic acid uptake in nucleic acids of excised cotton cotyledons 50
Harlan, Jack R., Nature and inheritance of apomixis in Bothriochloa and Dichanthium 41
Hartmann, H. T., Inflorescence formation in olive as influenced by low temperature, photoperiod, and leaf area 65
Helianthus annuus, *see* Sunflower
Hendricks, S. B., Reversion of phytochrome 730 (Pfr) to P660 (Pr) assayed by flowering in Chenopodium rubrum 75
Hordeum, *see* Barley
Hybrids, interspecific and intergeneric in Vanda, meiosis 132; interspecific in Collinsia, paper-chromatographic study of flower extracts 96; of Bothriochloa and Dichanthium, inheritance of apomixis 41
Hydrolysis of peptides within pitcher-plant leaves 245
Hyphae, in young roots of South African indigenous plants 38

I

Indocarpa intertrappea, new fossil dicotyledonous fruit from India 26
Inflorescence, formation in olive as influenced by low temperature, photoperiod, and leaf area 65; male and female, in Quercus 115
Inheritance of apomixis in Bothriochloa and Dichanthium 41
Insects as source of nutrients for absorption by pitcher-plant leaves 245
Internode elongation in barley as affected by incandescent light 149
Ionizing conditions, effect on seed germination at subatmospheric oxygen levels 241

J

Jain, R. K., Indocarpa intertrappea gen. et sp. nov., a new dicotyledonous fruit from the Deccan Intertrappean series, India 26
Joham, H. E., Carbohydrate composition and distribution in cotton plant as affected by substitution of sodium for calcium 56

K

Kalmia, embryology 280
Kamemoto, H., Meiosis in interspecific and intergeneric hybrids of Vanda 132
Kasperbauer, M. J., Reversion of phytochrome 730 (Pfr) to P660 (Pr) assayed by flowering in Chenopodium rubrum 75
Kato, Yukio, Physiological and morphogenetic studies of fern gametophytes in aseptic culture. II. One- and two-dimensional growth in sugar media 33
Kethley, John B., Foliar absorption of amino acids, peptides, and other nutrients by the pitcher plant, Sarracenia flava 245
Koller, D., A null-point compensating system for simultaneous and continuous measurement of net photosynthesis and transpiration by controlled gas-stream analysis 81
Kordan, Herbert A., Interphase nuclei from lemon-fruit tissue 198
Kozlowski, T. T., Transpiration capacity of dormant buds of forest trees 207

L

Lactuca, *see* Lettuce
Laughton, Elaine M., Occurrence of fungal hyphae in young roots of South African indigenous plants 38
Leaf, absorption of amino acids, peptides, and other nutrients by pitcher plant 245; anatomy as a phylogenetic index in Andromedeae 178; area, influence on inflorescence formation in olive 65; citrus, ascorbic acid content during growth 186; form, in interspecific and intergeneric hybrids of Vanda 132; guard-cell starch retention and accumulation in dark 102; soybean, absorption of P-32 at different ages 204; of Archeopteris in Upper Devonian deltaic sediments 126; of four desert cucurbits 121
Leiophyllum, embryology 280
Lemon, *see* Citrus
Lems, Kornelius, Evolutionary studies in the Ericaceae. II. Leaf anatomy as a phylogenetic index in the Andromedeae 178
Lettuce, seed germination at subatmospheric oxygen levels 241
Leucothoe, leaf anatomy 178
Light, effect of duration and intensity, of fluorescent and incandescent on flowering of Chrysanthemum 232, of incandescent on apical development in barley 149; far-red, required in light source for optimal photoperiodic response of barley 149; guard-cell starch retention and accumulation in dark 102; interconversion of phytochrome 730 and P660 under different irradiations 75; *see also* Photoperiod

Lignification, as affected by boron, in sunflower tissue and organ cultures 89, of sunflower and tobacco stems 268
Lignin, percentage present in plus- and minus-boron-grown sunflower and tobacco stems 268
Location in tree, effect on tenderness and other physical characteristics of citrus fruit 158
Loiseleuria, embryology 280
Lycopersicon, *see* Tomato
Lyonia, leaf anatomy 178

M

McCormick, J. Frank, Ecotypic differentiation in Diamorpha cymosa 271
McIlrath, Wayne J., Boron nutrition and lignification in sunflower and tobacco stems 268; Effects of boron on growth and lignification in sunflower tissue and organ cultures 89
Mannitol, effect on orotic acid uptake in nucleic acids of excised cotton cotyledons 50
Matthews, Gary J., Growth and development of carnation shoot tips in vitro 7
Matthiola incana, effect of nitrogen, phosphorus, and potassium on seed production and germination 62
Measurement, simultaneous and continuous, of net photosynthesis and transpiration by controlled gas-stream analysis 81
Megagametophyte, development, in Phyllodoceae 280, in Quercus 115; number and type, in Bothriochloa and Dichanthium 41
Meiosis, in interspecific and intergeneric hybrids of Vanda 132; in Quercus 115
Mesophyll, effect on uptake of sugars by epidermal strips 102
Meyer, J. A., Genetics of phytopathogenic fungi. XII. Detection of esterases and phosphatases in culture filtrates of Fusarium oxysporum and F. xylarioides by starch-gel zone electrophoresis 298
Microelements, effect of boron, on growth and lignification in sunflower tissue and organ cultures 89, on lignification in sunflower and tobacco stems 268
Microsporogenesis, in Phyllodoceae 280; in Quercus 115
Miles, Philip G., Possible role of dikaryons in selection of spontaneous mutants in Schizophyllum commune 301
Mineral nutrition; boron, effect, on growth and lignification in sunflower tissue and organ cultures 89, on lignification in sunflower and tobacco stems 268; nitrogen, potassium, and phosphorus, effect, of gibberellic acid on soybeans grown at different levels 142, on seed production and germination in stock 62; sodium, effect of substitution for calcium on carbohydrate composition and distribution 56
Moisture gradient related to variations in phenology and physiological tolerance of Diamorpha populations 271
Moisture stress, phenotypic stability in corn as related to timing during early development 211
Monocotyledons, ability of seven species to retain guard-cell starch in dark 102; endotrophic mycorrhizae in seven South African species 38
Monselise, S. P., Effect of climatic district and of location in tree on tenderness and other physical characteristics of citrus fruit 158
Morphogenesis, colony formation in Pediastrum 129; effect of carbohydrates on general morphology of fern gametophyte 33
Morphology, apomixis in Bothriochloa and Dichanthium 41; comparative, of pollen in Canellaceae 192, of seed-hair bases in Gossypium 108; endotrophic mycorrhizae in young roots of South African indigenous plants 38; gross, of tap roots of desert cucurbits 121; new species of fossil dicotyledonous fruit from India 26; of fern gametophyte as affected by sugars 33; *see also* Anatomy *and* Embryology
Mutants, in tomato, wilty-dwarf, anomalous vessel elements 138, dirty-red, relationship between chlorophyll and carotenoid biosynthesis 221; diploid, of sorghum line Experimental 3, true-breeding classes obtained after colchicine treatment 170; spontaneous, possible role of dikaryons in their selection in Schizophyllum 301
Mycorrhiza, endotrophic in young roots of South African indigenous plants 38

N

Nicotiana, *see* Tobacco
Nitrogen, effect on seed production and germination in stock 62; effect of organic compounds on growth in vitro of Cattleya seedlings 260; soybeans grown at different levels as affected by gibberellic acid 142
Nucellar apospory in Bothriochloa and Dichanthium 41
Nuclei, interphase, from lemon-fruit tissues 198
Nucleic acids, effect of 2,4-D and sucrose on orotic acid uptake in excised cotton cotyledons 50
Nucleoli with refractile bodies showing distinct birefringence 198

O

Oak, Quercus alba, Q. coccinea, and Q. ilicifolia, microsporogenesis and embryogenesis 115; red, bud distribution and branching 217
Olea europea, *see* Olive
Olive, inflorescence formation as influenced by low temperature, photoperiod, and leaf area 65
Orange, *see* Citrus
Orchids, effects of organic nitrogen compounds on growth of Cattleya seedlings in vitro 260; meiosis in interspecific and intergeneric hybrids of Vanda 132
Organography, floral, in Phyllodoceae 280
Orotic acid-6-C^{14}, effect of 2,4-D and sucrose on uptake in nucleic acids of excised cotton cotyledons 50
Orphanidesia, leaf anatomy 178
Ovule, in Phyllodoceae 280; in Quercus 115
Oxidants, effect on seed germination at subatmospheric oxygen levels 241
Oxydendrum, leaf anatomy 178

P

P-32, absorption by soybean leaves of different ages 204
Paleg, L. H., Effects of daylength and light intensity on growth of barley. II. Influence of incandescent light on apical development 149
Paleobotany, new dicotyledonous fruit from Deccan Intertrappean series, India 26; predominance of Archaeopteris in Upper Devonian flora 126
Pallas, James E., Jr., Guard-cell starch retention and accumulation in the dark 102
Palser, Barbara F., Studies of floral morphology in the Ericales. VII. Embryology in the Phyllodoceae 280
Paper chromatography, study of extracts, of flowers of 14 species and four interspecific hybrids of Collinsia 96, of spore masses of four physiological races of Colletotrichum lagenarium 72
Parthenogenesis in Bothriochloa and Dichanthium 41
Pathogens, esterases and phosphatases in Fusarium 298; paper-chromatographic study of four physiological races of Colletotrichum lagenarium 72
Pectin methylesterase in culture filtrates of Fusarium 298
Pediastrum boryanum, colony form 129
Peptides, absorption by leaves of pitcher plant 245
Peroxidase, effect of boron on level of activity 89
Petal venation in Ranunculus repens var. pleniflorus 13

pH of sarcophagus liquor, effect on hydrolysis or absorption by pitcher-plant leaves 245
Phenology of populations of Diamorpha cymosa 271
Phenotypic stability in corn as related to timing of moisture stress during early development 211
Phillips, Douglas J., Growth and development of carnation shoot tips in vitro 7
Phloem, polarized light study of differentiation in embryo of Chenopodium album 1
Phosphatases in culture filtrates of Fusarium 298
Phosphorus, effect on seed production in stock 62; soybeans grown at different levels as affected by gibberellic acid 142
Photoperiod, effect of incandescent light on apical development in barley 149; influence on inflorescence formation in olive 65; very short, effect on flowering in Xanthium 227
Photosynthesis, a null-point compensating system for continuous measurement by controlled gas-stream analysis 81
Phyllodoce, embryology 280
Phylogeny, in pollen of Canellaceae 192; leaf anatomy as index in Andromedeae 178
Physical characteristics of citrus fruits, as affected by climatic district and by location in tree 158
Phytochrome, reversion of P730 to P660 assayed by flowering in Chenopodium rubrum 75; roles in control of flowering of Xanthium 227; significance of dark reversion in flowering of Chrysanthemum 232
Pieris, leaf anatomy 178
Pigments, *see* Carotenoids, Chlorophyll, *and* Phytochrome
Pinus resinosa, P. strobus, and P. banksiana, transpiration capacity of dormant buds 207
Pitcher plant, foliar absorption of amino acids, peptides, and other nutrients 245
Platt, Robert B., Ecotypic differentiation in Diamorpha cymosa 271
Pleodendron, pollen 192
Plummer, Gayther L., Foliar absorption of amino acids, peptides, and other nutrients by the pitcher plant, Sarracenia flava 245
Polarized light study of phloem differentiation in embryo of Chenopodium album 1
Pollen, of Canellaceae 192; of Phyllodoceae, 280; of Quercus, 115
Polyploidy, autotriploid of Collinsia heterophylla 46; relation to morphology of seed-hair base in Gossypium 108
Populations of Diamorpha cymosa, phenology, cytology, and physiological tolerances 271
Populus tremuloides, transpiration capacity of dormant buds 207
Potassium, deficiency in environment associated with accumulation of free amino acids in pitcher-plant leaves 245; effect on seed production and germination in stock 62; soybeans grown at different levels as affected by gibberellic acid 142
Prothallus, one- and two-dimensional growth on sugar media 33
Pteris vittata, one- and two-dimensional growth of gametophytes on sugar media 33
Puccinia graminis var. tritici, *see* Wheat stem rust

Q

Quercus, *see* Oak

R

Radioisotopes, absorption of P-32 by soybean leaves of different ages 204; effect of 2,4-D and sucrose on uptake of orotic acid-6-C^{14} in nucleic acids of excised cotton cotyledons 50; used to show foliar absorption of essential nutrients by pitcher plant 245
Raghavan, V., Effects of certain organic nitrogen compounds on growth in vitro of seedlings of Cattleya 260
Ramirez, Dolores A., Relationship between chlorophyll and carotenoid biosynthesis in dirty-red (green-flesh) mutant in tomato 221
Ranunculus, number and position of vein dichotomies in petals of R. repens var. pleniflorus 13
Red–far-red ratio, changes in fluorescent and incandescent light 227
Reproduction, asexual, in Pediastrum 129; sexual, in Bothriochloa and Dichanthium 41, in Phyllodoceae 280; in Quercus 115
Rhodothamnus, embryology 280
Root, endotrophic mycorrhizae in South African indigenous plants 38; growth as affected by boron 89; initiation in cultured shoot tips of carnation 7; tap, gross morphology in desert cucurbits 121
Rowe, P. R., Phenotypic stability in corn as related to timing of moisture stress during early development 211
Rye, seed germination at subatmospheric oxygen levels 241

S

Salisbury, Frank B., A special-purpose controlled-environment unit 237
Samish, Y., A null-point compensating system for simultaneous and continuous measurement of net photosynthesis and transpiration by controlled gas-stream analysis 81
Sanders, Mary E., Classes of true-breeding diploid mutants obtained after colchicine treatment of sorghum line, Experimental 3 170
Sarracenia flava, *see* Pitcher plant
Schizophyllum commune, possible role of dikaryons in selection of spontaneous mutants 301
Searles, Richard B., Conversion of furfural and cinnamaldehyde by uredospores of wheat stem rust and associated bacteria 146
Secale, *see* Rye
Seed, comparative morphology of base of hair in Gossypium 108; germination, at subatmospheric oxygen levels as affected by oxidants and ionizing conditions 241, in Cattleya, as affected by organic nitrogen compounds 260, in stock, as affected by nitrogen, phosphorus, and potassium 62; in Phyllodoceae 280; production in stock as affected by nitrogen, phosphorus, and potassium 62
Seedlings, Cattleya, growth in vitro as affected by organic nitrogen compounds 260; growth at subatmospheric oxygen levels as affected by oxidants and ionizing conditions 241
Selection of spontaneous mutants in Schizophyllum, possible role of dikaryons 301
Semeniuk, Peter, Effect of various levels of nitrogen, phosphorus, and potassium on seed production and germination of Matthiola incana 62
Sexual reproduction in Bothriochloa and Dichanthium 41
Shaeffer, Susan G., Genetics of phytopathogenic fungi. VIII. Paper-chromatographic study of extracts of spore masses of the four physiological races of Colletotrichum lagenarium 72, XII. Detection of esterases and phosphatases in culture filtrates of Fusarium oxysporum and F. xylarioides by starch-gel zone electrophoresis 298
Shindo, K., Meiosis in interspecific and intergeneric hybrids of Vanda 132
Shoot apex, carnation, growth and development in vitro 7; in olive, as affected by low temperature, photoperiod, and leaf area 65
Shoot length, relation to number of buds and branches in red oak 217
Siegel, S. M., Effects of oxidants and ionizing conditions on seed germination at subatmospheric oxygen levels 241
Skok, John, Boron nutrition and lignification in sunflower and tobacco stems 268

Sodium, effect of substituting for calcium on carbohydrate composition and distribution 56
Sorghum, classes of true-breeding diploid mutants obtained after colchicine treatment of line Experimental 3 170
South African indigenous plants, endotrophic mycorrhizae 38
Soybean, absorption of P-32 by leaves of different ages 204; growth at different levels of nitrogen, potassium, or phosphorus as affected by gibberellic acid 142
Stairs, G. R., Microsporogenesis and embryogenesis in Quercus 115
Stamen in Phyllodoceae 280
Starch, presence and location in cotton as affected by substitution of sodium for calcium 56; retention and accumulation by guard cells in dark 102
Stem, sunflower and tobacco, effect of boron on lignification 268
Stock, *see* Matthiola incana
Stomata, guard-cell starch retention and accumulation in dark 102
Strømnaes, Oistein, The genus Collinsia. XXIII. A paper-chromatographic study of flower extracts from fourteen species and four interspecific hybrids 96
Struckmeyer, B. Esther, Effects of gibberellic acid on soybeans grown at different levels of nitrogen, potassium, or phosphorus 142
Subatmospheric oxygen levels, seed germination at, as affected by oxidants and ionizing conditions 241
Sucrose, *see* Sugars
Sudia, Theodore W., Absorption of P-32 by leaves of Glycine max of different ages 204
Sugars, ability of epidermal strips to take up and accumulate as starch in guard cells 102; effect of sucrose, glucose, and fructose on orotic acid uptake in nucleic acids of excised cotton cotyledons 50; effect on general morphology of fern gametophyte 33; kinds and location in cotton as affected by substitution of sodium for calcium 56
Sunflower, effect of boron, on growth and development of tissue and organ cultures 89, on lignification in stem 268

T

Talley, Burney P., Gross morphology of tap roots of desert cucurbits 121
Taxonomy, Colletotrichum lagenarium, attempt to identify races by paper chromatography 72; Collinsia, paper-chromatographic study of flower extracts of 14 species and four interspecific hybrids 96; Gossypium, comparative morphology of base of seed hairs 108; of subtribe Sarcanthinae of Orchidaceae, based on chromosome pairing in hybrids 132
Technique, a null-point compensating system for simultaneous and continuous measurement of net photosynthesis and transpiration by controlled gas-stream analysis 81
Temperature, gradient, related to variations in phenology and physiological tolerance of Diamorpha populations 271; low, influence on inflorescence formation in olive 65
Tenderness of citrus fruit as affected by climatic district and by location in tree 158
Tissue culture, effect of boron on growth and lignification of sunflower explants 89; effect of organic nitrogen compounds on growth of Cattleya seedlings 260; growth and development of carnation shoot tips in vitro 7; one- and two-dimensional growth of fern gametophyte on sugar media 33
Tobacco, effect of boron on lignification in stem 268
Tolerances, physiological, of Diamorpha populations 271
Tomato, anomalous vessel elements in wilty-dwarf mutant 138; cellulase activity in fruit according to portion and maturity 156; relationship between chlorophyll and carotenoid biosynthesis in dirty-red mutant 221
Tomes, Mark L., Relationship between chlorophyll and carotenoid biosynthesis in dirty-red (green-flesh) mutant in tomato 221
Transpiration, a null-point compensating system for continuous measurement by controlled gas-stream analysis 81; capacity of dormant buds of forest trees 207
Transport of phosphorus in soybean leaves of different ages 204
Trees, South African, endotrophic mycorrhizae 38; transpiration capacity of dormant buds 207
Trisomes in Collinsia heterophylla 46
Tucker, Shirley C., Analysis of petal venation in Ranunculus. II. Number and position of dichotomies in R. repens var. pleniflorus 13
Turnip, seed germination at subatmospheric oxygen levels 241
Turrell, F. M., Effect of climatic district and of location in tree on tenderness and other physical characteristics of citrus fruit 158

V

Vanda, meiosis in interspecific and intergeneric hybrids 132
Venation, petal, number and position of dichotomies in Ranunculus repens var. pleniflorus 13
Vernalization, low-temperature requirement for flowering in olive 65
Vessel, anomalous elements in wilty-dwarf tomato 138

W

Warburgia, pollen 192
Ward, W. W., Bud distribution and branching in red oak 217
Water flow in anomalous vessels of wilty-dwarf tomato 138
Water relations, of desert cucurbits with enlarged tap roots 121; phenotypic stability in corn as related to moisture stress during early development 211; transpiration capacity of dormant buds 207
Wet, J. M. J. de, Nature and inheritance of apomixis in Bothriochloa and Dichanthium 41
Wheat stem rust, conversion of furfural and cinnamaldehyde by uredospores 146
Whitenberg, D. C., Carbohydrate composition and distribution in cotton plant as affected by substitution of sodium for calcium 56
Wilson, Thomas K., Comparative morphology of the Canellaceae. III. Pollen 192
Wolter, K. E., Transpiration capacity of dormant buds of forest trees 207

X

Xanthium pensylvanicum, roles of active phytochrome in control of flowering 227
Xylem, protoxylem differentiation in embryo of Chenopodium album 1

Z

Zea, *see* Corn
Zenobia, leaf anatomy 178
Zoospores, behavior in Pediastrum 129